

## " SEOUENCE LISTING

<110> MOTOYAMA, Yasuo OGATA, Tomoo SAKAI, Kazuhisa

<120> GENES FOR DETECTING BACTERIA AND A METHOD FOR DETECTING BACTERIA BY USING THE GENES

<130> MOTOYAMA=1

<140> 09/762,633

<141> 2001-02-12

<150> PCT/JP99/04341

<151> 1999-08-11

<150> JP 10/227177

<151> 1998-08-11

<160> 11

<170> PatentIn version 3.1

<210> 1

<211> 624

<212> DNA

<213> Pectinatus frisingensis

<400> 1

gaagtegtaa caaggtagee gtateggaag gtgeggetgg ateaceteet ttetaaggat 60 taaaacaatc cgtcgagcac atccggaaca tgtattgttt ggttttgagg gtttctccct 120 caaaaaaata gatagaacta atgggggcgt agctcagctg ggagagcacc tgccttgcaa 180 gcagggggtc aggagttcaa atctcctcgt ctccaccaga agagaaatgg gcctatagct 240 cagetggtta gagegeacge etgataageg tgaggteagt agtteaagte taettaggee 300 caccataatt gcacattgaa aactacacag aagaaaagca aagaacaatt aatcaccaat 360 gccaaacttg tgagaggaga ttttcaagag gatggcgggg aatagttgga ccaagcacaa 420 ttaggaaact aaaaacaagc taagacaaaa catataaact taagctaaag gtgatattct 480 ggaggagact cgagaatata ataaacttac cagaagcgtt cagatgcaag gaagcatgaa 540 agcgaatgaa gaaggcgtat tagtatacgc cgatgagtga gctgaaatga tgacgaagca 600 gatgagcggt tatggaaagt ttaa 624

<210> 2

<211> 442

<212> DNA

<213> Pectinatus frisingensis

<400> 2 gaagtcgtaa	caaggtagcc	gtatcggaag	gtgcggctgg	atcacctcct	ttctaaggat	60
taaaacaatc	cgtcgagcac	atccggaaca	tgtattgttt	ggttttgagg	gtttctccct	120
caaatattgc	acattgaaaa	ctacacagaa	gaaaagcaaa	gaacaattaa	tcaccaatgc	180
caaacttgtg	agaagagatt	ttcaagagga	tggc <u>g</u> gggaa	tagttggacc	aagcacaatt	240
aggaaactaa	aaacaagcta	agacaaaaca	tataaactta	agctaaaggt	gatattctgg	300
aggagactcg	agaatataat	aaacttacca	gaagcgttca	gatgcaagga	agcatgaaag	360
cgaatgaaga	aggcgtatta	gtatacgccg	atgagtgagc	tgaaatgatg	acgaagcaga	420
tgagcggtta	tggaaagttt	aa				442
<210> 3 <211> 724 <212> DNA <213> Pect	inatus cere	evisiiphilus	3			
<400> 3 gaagtcgtaa	caaggtagcc	gtatcggaag	gtgcggctgg	atcacctcct	ttctaaggat	60
ttgacaaaaa	tctgtcgagt	acatccggaa	tatgtattgt	ttggttttga	gggtttctcc	120
ctcataaata	tatagtagat	acttgtaaga	gtgtttatgg	tatgtttaaa	agctggtcgg	180
aaatattgtg	gtgcaaaaaa	atgcatggca	gtagagaaga	ctggtaaaaa	aagaatgaac	240
taatgggggc	gtagctcaga	tgggagagca	cctgccttgc	aagcaggggg	tcaggagttc	300
aactctcctc	gtctccacca	gaagagaaag	ggcctatagc	tcagctggtt	agagcgcacg	360
cctgataagc	gtgaggtcag	tagttcaagt	ctacttaggc	ccaccaatat	tgcacattga	420
aaactacaca	gaagaaagca	aagaacaatt	atcaccaatg	ccaaacttgt	aagagaaatc	480
gaggagagaa	tggcggggaa	tagttggacc	aagcacaaat	taggaaaaga	aacaaacgct	540
aagaaacaaa	catataaact	taagcgaaaa	ggtgatattc	tggaggaaac	ttcagagtat	600
ataaacttac	cagaagcgtt	cagatgcgag	gaagggcaaa	gctgagagaa	gaaagcgtat	660
taatatacgc	tgatgaacga	agcaaagcac	tgacaaagca	gatggatggt	tatgggaagt	720
taca						724
<210> 4 <211> 399 <212> DNA <213> Pect <400> 4	inatus cere	evisiiphilus	<b>3</b>	·		
	caaggtaggg	gtatcggaag	atacaactaa	atcacctcct	ttctaaggat	60

cegacaaa	and beeglegage doubloggad edogodoby beggessega gggessess			
ctcataaa	ta ttgcacattg aaaactacac agaagaaagc aaagaacaat tatcaccaat	180		
gccaaact	tg taagagaaat cgagaagaga atggcgggga atagttggac caagcacaaa	240		
ttaggaaa	ag aaacaaacgc taagaaacaa acatataaac ttaagcgaaa aggtgatatt	300		
ctggagga	aa cttcagagta tataaactta ccagaagcgt tcagatgcga ggaagggcaa	360		
agcactga	ca aagtagatgg atggttatgg gaagttaca	399		
<212> D	9 NNA Pectinatus frisingensis			
<400> 5	tt gaaaatctc	19		
<212> D	; 20 DNA Pectinatus frisingensis			
<400> 6	ca caagtttggc	20		
<212> D	.9 DNA Pectinatus cerevisiiphilus			
<400> 7				
cactctta	ca agtatctac	19		
<212> D	o ONA Pectinatus cerevisiiphilus			
<400> 8		20		
ccacaata	tt tccgaccagc	20		
<212> D	o 20 DNA Pectinatus cerevisiiphilus			
<400> 9				
agtcttctct actgccatgc 20				

<210> 10	
<211> 20	
<212> DNA	
<213> Pectinatus frisingensis	
<400> 10	
cgtatccaga gatggatatt	20
010. 11	
<210> 11	
<211> 20	
<212> DNA	
<213> Pectinatus cerevisiiphilus	*
<400> 11	
cgtatgcaga gatgcatatt	20